

RESISTORS	
1/2 WATT	5% TOLERANCE
1/4 WATT	5% TOLERANCE
1/8 WATT	5% TOLERANCE
1/16 WATT	5% TOLERANCE
1/32 WATT	5% TOLERANCE
1/64 WATT	5% TOLERANCE
1/128 WATT	5% TOLERANCE
1/256 WATT	5% TOLERANCE
1/512 WATT	5% TOLERANCE
1/1024 WATT	5% TOLERANCE
1/2048 WATT	5% TOLERANCE
1/4096 WATT	5% TOLERANCE
1/8192 WATT	5% TOLERANCE
1/16384 WATT	5% TOLERANCE
1/32768 WATT	5% TOLERANCE
1/65536 WATT	5% TOLERANCE
1/131072 WATT	5% TOLERANCE
1/262144 WATT	5% TOLERANCE
1/524288 WATT	5% TOLERANCE
1/1048576 WATT	5% TOLERANCE
1/2097152 WATT	5% TOLERANCE
1/4194304 WATT	5% TOLERANCE
1/8388608 WATT	5% TOLERANCE
1/16777216 WATT	5% TOLERANCE
1/33554432 WATT	5% TOLERANCE
1/67108864 WATT	5% TOLERANCE
1/134217728 WATT	5% TOLERANCE
1/268435456 WATT	5% TOLERANCE
1/536870912 WATT	5% TOLERANCE
1/1073741824 WATT	5% TOLERANCE
1/2147483648 WATT	5% TOLERANCE
1/4294967296 WATT	5% TOLERANCE
1/8589934592 WATT	5% TOLERANCE
1/17179869184 WATT	5% TOLERANCE
1/34359738368 WATT	5% TOLERANCE
1/68719476736 WATT	5% TOLERANCE
1/137438953472 WATT	5% TOLERANCE
1/274877906944 WATT	5% TOLERANCE
1/549755813888 WATT	5% TOLERANCE
1/1099511627776 WATT	5% TOLERANCE
1/2199023255552 WATT	5% TOLERANCE
1/4398046511104 WATT	5% TOLERANCE
1/8796093022208 WATT	5% TOLERANCE
1/17592186044416 WATT	5% TOLERANCE
1/35184372088832 WATT	5% TOLERANCE
1/70368744177664 WATT	5% TOLERANCE
1/140737488355328 WATT	5% TOLERANCE
1/281474976710656 WATT	5% TOLERANCE
1/562949953421312 WATT	5% TOLERANCE
1/1125899906842624 WATT	5% TOLERANCE
1/2251799813685248 WATT	5% TOLERANCE
1/4503599627370496 WATT	5% TOLERANCE
1/9007199254740992 WATT	5% TOLERANCE
1/18014398509481984 WATT	5% TOLERANCE
1/36028797018963968 WATT	5% TOLERANCE
1/72057594037927936 WATT	5% TOLERANCE
1/144115188075855872 WATT	5% TOLERANCE
1/288230376151711744 WATT	5% TOLERANCE
1/576460752303423488 WATT	5% TOLERANCE
1/1152921504606846976 WATT	5% TOLERANCE
1/2305843009213693952 WATT	5% TOLERANCE
1/4611686018427387904 WATT	5% TOLERANCE
1/9223372036854775808 WATT	5% TOLERANCE
1/18446744073709551616 WATT	5% TOLERANCE
1/36893488147419103232 WATT	5% TOLERANCE
1/73786976294838206464 WATT	5% TOLERANCE
1/147573952589676412928 WATT	5% TOLERANCE
1/295147905179352825856 WATT	5% TOLERANCE
1/590295810358705651712 WATT	5% TOLERANCE
1/1180591620717411303424 WATT	5% TOLERANCE
1/2361183241434822606848 WATT	5% TOLERANCE
1/4722366482869645213696 WATT	5% TOLERANCE
1/9444732965739290427392 WATT	5% TOLERANCE
1/18889465931478580854784 WATT	5% TOLERANCE
1/37778931862957161709568 WATT	5% TOLERANCE
1/75557863725914323419136 WATT	5% TOLERANCE
1/151115727451828646838272 WATT	5% TOLERANCE
1/302231454903657293676544 WATT	5% TOLERANCE
1/604462909807314587353088 WATT	5% TOLERANCE
1/1208925819614629174706176 WATT	5% TOLERANCE
1/2417851639229258349412352 WATT	5% TOLERANCE
1/4835703278458516698824704 WATT	5% TOLERANCE
1/9671406556917033397649408 WATT	5% TOLERANCE
1/19342813113834066795298816 WATT	5% TOLERANCE
1/38685626227668133590597632 WATT	5% TOLERANCE
1/77371252455336267181195264 WATT	5% TOLERANCE
1/154742504910672534362390528 WATT	5% TOLERANCE
1/309485009821345068724781056 WATT	5% TOLERANCE
1/618970019642690137449562112 WATT	5% TOLERANCE
1/1237940039285380274899124224 WATT	5% TOLERANCE
1/2475880078570760549798248448 WATT	5% TOLERANCE
1/4951760157141521099596496896 WATT	5% TOLERANCE
1/9903520314283042199192993792 WATT	5% TOLERANCE
1/19807040628566084398385987584 WATT	5% TOLERANCE
1/39614081257132168796771975168 WATT	5% TOLERANCE
1/79228162514264337593543950336 WATT	5% TOLERANCE
1/158456325028528675187087900672 WATT	5% TOLERANCE
1/316912650057057350374175801344 WATT	5% TOLERANCE
1/633825300114114700748351602688 WATT	5% TOLERANCE
1/1267650600228229401496703205376 WATT	5% TOLERANCE
1/2535301200456458802993406410752 WATT	5% TOLERANCE
1/5070602400912917605986812821504 WATT	5% TOLERANCE
1/10141204801825835211973625643008 WATT	5% TOLERANCE
1/20282409603651670423947251286016 WATT	5% TOLERANCE
1/40564819207303340847894502572032 WATT	5% TOLERANCE
1/81129638414606681695789005144064 WATT	5% TOLERANCE
1/162259276829213363391578010288128 WATT	5% TOLERANCE
1/324518553658426726783156020576256 WATT	5% TOLERANCE
1/649037107316853453566312041152512 WATT	5% TOLERANCE
1/1298074214633706907132624082305024 WATT	5% TOLERANCE
1/2596148429267413814265248164610048 WATT	5% TOLERANCE
1/5192296858534827628530496329220096 WATT	5% TOLERANCE
1/10384593717069655257060992658440192 WATT	5% TOLERANCE
1/20769187434139310514121985316880384 WATT	5% TOLERANCE
1/41538374868278621028243970633760768 WATT	5% TOLERANCE
1/83076749736557242056487941267521536 WATT	5% TOLERANCE
1/166153499473114484112975882535043072 WATT	5% TOLERANCE
1/332306998946228968225951765070086144 WATT	5% TOLERANCE
1/664613997892457936451903530140172288 WATT	5% TOLERANCE
1/1329227995784915872903807060280344576 WATT	5% TOLERANCE
1/2658455991569831745807614120560689152 WATT	5% TOLERANCE
1/5316911983139663491615228241121378304 WATT	5% TOLERANCE
1/10633823966279326983230456482242756608 WATT	5% TOLERANCE
1/21267647932558653966460912964485513216 WATT	5% TOLERANCE
1/42535295865117307932921825928971026432 WATT	5% TOLERANCE
1/85070591730234615865843651857942052864 WATT	5% TOLERANCE
1/170141183460469231731687303715884105728 WATT	5% TOLERANCE
1/340282366920938463463374607431768211456 WATT	5% TOLERANCE
1/680564733841876926926749214863536422912 WATT	5% TOLERANCE
1/1361129467683753853853498429727072845824 WATT	5% TOLERANCE
1/2722258935367507707706996859454145691648 WATT	5% TOLERANCE
1/5444517870735015415413993718908291383296 WATT	5% TOLERANCE
1/10889035741470030830827987437816582766592 WATT	5% TOLERANCE
1/21778071482940061661655974875633165533184 WATT	5% TOLERANCE
1/43556142965880123323311949751266331066368 WATT	5% TOLERANCE
1/87112285931760246646623899502532662132736 WATT	5% TOLERANCE
1/174224571863520493293247799005065324265472 WATT	5% TOLERANCE
1/348449143727040986586495598010130648530944 WATT	5% TOLERANCE
1/696898287454081973172991196020261290661888 WATT	5% TOLERANCE
1/1393796574908163946345982392040522581323776 WATT	5% TOLERANCE
1/2787593149816327892691964784081045162647552 WATT	5% TOLERANCE
1/5575186299632655785383929568162090325295104 WATT	5% TOLERANCE
1/11150372599265311570767859136324180650590208 WATT	5% TOLERANCE
1/22300745198530623141535718272648361301180416 WATT	5% TOLERANCE
1/44601490397061246283071436545296722602360832 WATT	5% TOLERANCE
1/89202980794122492566142873090593445204721664 WATT	5% TOLERANCE
1/178405961588244985132285746181186890409443296 WATT	5% TOLERANCE
1/356811923176489970264571492362373780818886592 WATT	5% TOLERANCE
1/713623846352979940529142984724747561637773184 WATT	5% TOLERANCE
1/1427247692705959881058285969449495123275546368 WATT	5% TOLERANCE
1/2854495385411919762116571938898990246551092736 WATT	5% TOLERANCE
1/5708990770823839524233143877797980493102185472 WATT	5% TOLERANCE
1/11417981541647679048466287755595960986204370944 WATT	5% TOLERANCE
1/22835963083295358096932575511191921972408741888 WATT	5% TOLERANCE
1/45671926166590716193865151022383843944817483776 WATT	5% TOLERANCE
1/91343852333181432387730302044767687889634967552 WATT	5% TOLERANCE
1/182687704666362864775460604089535375779269935104 WATT	5% TOLERANCE
1/365375409332725729550921208179070751558539870208 WATT	5% TOLERANCE
1/730750818665451459101842416358141503117079740416 WATT	5% TOLERANCE
1/1461501637330902918203684832716283006234159480832 WATT	5% TOLERANCE
1/2923003274661805836407369665432566012468318961664 WATT	5% TOLERANCE
1/5846006549323611672814739330865132024936637923328 WATT	5% TOLERANCE
1/11692013098647223345629478661730264049873275846656 WATT	5% TOLERANCE
1/23384026197294446691258957323460528099746551693312 WATT	5% TOLERANCE
1/46768052394588893382517914646921056199493103386624 WATT	5% TOLERANCE
1/93536104789177786765035829293842112398986206773248 WATT	5% TOLERANCE
1/187072209578355573530071658587684224797972413546496 WATT	5% TOLERANCE
1/374144419156711147060143317175368449595944827092992 WATT	5% TOLERANCE
1/748288838313422294120286634350736899191889654185984 WATT	5% TOLERANCE
1/1496577676626844588240573268701473798383779308371968 WATT	5% TOLERANCE
1/2993155353253689176481146537402947596767558616743936 WATT	5% TOLERANCE
1/5986310706507378352962293074805895193535117233487872 WATT	5% TOLERANCE
1/11972621413014756705924586149611790387070234466975744 WATT	5% TOLERANCE
1/23945242826029513411849172299223580774140468933951488 WATT	5% TOLERANCE
1/47890485652059026823698344598447161548280937867902976 WATT	5% TOLERANCE
1/95780971304118053647396689196894323096561875735805952 WATT	5% TOLERANCE
1/191561942608236107294793378393788646193123514471611904 WATT	5% TOLERANCE
1/383123885216472214589586756787577292386247028943223808 WATT	5% TOLERANCE
1/766247770432944429179173513575154584772494057886447616 WATT	5% TOLERANCE
1/1532495540865888858358347027150309169544988115772895232 WATT	5% TOLERANCE
1/3064991081731777716716694054300618339089976231545790464 WATT	5% TOLERANCE
1/6129982163463555433433388108601236678179952463091580928 WATT	5% TOLERANCE
1/12259964326927110866866776217202473356359904926183161856 WATT	5% TOLERANCE
1/24519928653854221733733552434404946712719809852366323712 WATT	5% TOLERANCE
1/49039857307708443467467104868809893425439619704732647424 WATT	5% TOLERANCE
1/98079714615416886934934209737619786850879239409465294848 WATT	5% TOLERANCE
1/196159429230833773869868419475239573701758478818930589696 WATT	5% TOLERANCE
1/392318858461667547739736838950479147403516957637861179392 WATT	5% TOLERANCE
1/784637716923335095479473677900958294807033915275722358784 WATT	5% TOLERANCE
1/1569275433846670190958947355801916589614067830551444717568 WATT	5% TOLERANCE
1/3138550867693340381917894711603833179228135661102889435136 WATT	5% TOLERANCE
1/6277101735386680763835789423207666358456271322205778870272 WATT	5% TOLERANCE
1/12554203470773361527671578846415332716912542644411557740544 WATT	5% TOLERANCE
1/25108406941546723055343157692830665433825085288823115481088 WATT	5% TOLERANCE
1/50216813883093446110686315385661330867650170577646230962176 WATT	5% TOLERANCE
1/100433627766186892221372630771322661735300341155292461924352 WATT	5% TOLERANCE
1/200867255532373784442745261542645323670600682310584923848704 WATT	5% TOLERANCE
1/401734511064747568885490523085290647341201364621169847697408 WATT	5% TOLERANCE
1/803469022129495137770981046170581294682402729242339695394816 WATT	5% TOLERANCE
1/1606938044258990275541962092341162589364805458484679390789232 WATT	5% TOLERANCE
1/3213876088517980551083924184682325178729610916969358781578464 WATT	5% TOLERANCE
1/6427752177035961102167848369364650357459221833938717563156928 WATT	5% TOLERANCE
1/12855504354071922204335696738729300714918443667877435126313856 WATT	5% TOLERANCE
1/25711008708143844408671393477458601429836887335754870252627712 WATT	5% TOLERANCE
1/51422017416287688817342786954917202859673774671509740505255424 WATT	5% TOLERANCE
1/10284403483257537763468557390983440571934754934301948101051088 WATT	5% TOLERANCE
1/20568806966515075526937114781966881143869509868603896202102176 WATT	5% TOLERANCE
1/41137613933030151053874229563933762287739019737207792404204352 WATT	5% TOLERANCE
1/82275227866060302107748459127867524575478039474415584808408704 WATT	5% TOLERANCE
1/16455045573212060421549691825573504915095607894883116961691728 WATT	5% TOLERANCE
1/32910091146424120843099383651147009830191215789766233923383456 WATT	5% TOLERANCE

B & K MODEL 801 PARTS AND PRICE LIST

SCHEMATIC SYMBOL	DESCRIPTION	B & K PART No.	DEALER'S NET
---------------------	-------------	-------------------	-----------------

RESISTORS

R-2	1K/250 Ohm Dual Control.....	008-002-9-002	\$1.20
R-7	2.5K Ohm Control W/S-3 Attached.....	008-001-9-014	1.05
R-109	500/150/100 Ohm Triple Control.....	010-001-9-004	1.08
R-121	5K/250/250 Ohm Triple Control.....	010-001-9-003	1.05

CAPACITORS

C-3	80/80 MF, 250 Volt Electrolytic W/ins. Cover.....	021-005-9-001	1.68
C-105	200 MF, 4 Volt Electrolytic.....	022-001-9-007	.33
C-106	10 MF, 25 Volt Electrolytic.....	022-001-9-004	.33
C-108	8-50 PF, 4 Volt Trimmer.....	028-003-9-005	.84

COILS AND TRANSFORMERS

L-101	Series Test Lead Coil.....	041-001-9-015	1.80
L-102	20 MC Oscillator Coil.....	066-002-9-001	.81
T-1	Power Transformer	065-010-9-001	4.65

SWITCHES

SW-1	Selector Switch	090-002-9-001	7.92
S-2	Test Switch	084-002-9-002	.30
S-3 (A&B)	Power and Meter Switch (See R-7)		

TUBES AND DIODES

V-1 & V-2	12AU7	235-120-1-217	1.23
D-1 & D-102	Silicon Diode, 100 MA.	112-351-0-101	.69
D-2, D-104, D-105	Silicon Diode, 500 MA.	112-500-0-501	.42
D-106	1N48 Diode	150-001-9-002	.34
D-103	1N48 Diode (Selected)	150-001-9-001	.34

SCHEMATIC SYMBOL	DESCRIPTION	B & K PART No.	DEALER'S NET
MISCELLANEOUS			
Case		272-007-9-002	11.49
Foot, Rubber		381-002-9-001	.06
Handle		746-001-9-001	.48
Knob, Large		751-005-9-001	.39
Knob, Small		751-005-9-003	.36
Knob, Small W/Marker		751-005-9-002	.39
Lamp, Indicator		401-001-9-001	.46
Lens, Red		750-001-9-001	.15
Line Cord		420-005-9-001	.36
Meter, 200 μ a.		320-002-9-001	14.82
Manual, Instruction		480-007-9-001	
Panel, Front		255-007-9-001	1.44
Plug Button, Meter		738-001-9-002	.03
Schematic & Parts List		488-017-9-001	

(Prices subject to change without notice)

Minimum charge \$1.00 per invoice. Orders will be shipped C.O.D. unless previous open account arrangements have been made or remittance accompanies order. Advance remittance must cover postage or express.